



To retain the royalty of your golf guests, you have to please them with your course always in top green condition, for which, Golfy Car's special-duty utility cars with extra climbing and hauling power, heavy-duty tires and hydraulic shock absorbers will always be with you to do the toughest jobs under the roughest environment. Golfy Car is dedicated to individual markets with full service and support to match.

# GCH 2 V8

- AT22\*10-10 Tires
- Hinged windshield
- Cargo box

## FEATURES

- Steering Double-ended rack and pinion.
- Front suspension independent A-arm coil over shock.
- 170mm higher ground clearance.
- Delta-Q on board charger.
- Optional 8\*6V battery for longer travelling distance.
- Contoured, Ergonomic seats.
- Turnover alloy cargo box.
- Innovative design.



## SPECIFICATIONS

- Passenger Capacity – 2
- Battery -8V170AH\*6
- Motor-48V 4KW
- Controller-DC 48V 500A
- Max. Speed - 20km/h
- Max. Travelling range - 80km
- Minimum turning radius - 3.5m
- Gross Weight – 520kg
- Ground clearance-170mm





# GCH 4 V8

- AT22\*10-10 Tires
- Hinged windshield
- Cargo box

## FEATURES

- Steering Double-ended rack and pinion
- Front Suspension Independent Double A-Arm Coil Over Shock
- 120mm higher ground clearance
- Delta-Q on board Charger
- Optional 8\*6V battery for longer travelling distance
- Contoured, Ergonomic Seats
- Oversized Bag Well
- Innovative Design



## SPECIFICATIONS

- Passenger Capacity – 4
- Battery -8V170AH\*6pcs.
- Motor-48V 5KW
- ControllerCurtis1268A DC400A/48V
- Max. Speed – 30-40km/h
- Max. Travelling range – 40-45km
- Minimum turning radius - 4m
- Gross Weight – 480kg
- Ground clearance-170mm
- Steering Wheel – 12 inch carbon fiber \* optional
- Wireless Microphone \*optional



# FEATURES

- Import main parts: US Batteries (From USA), Delta-Q chargers (From Canada); Curtis controller (From USA);
- Driving system: Series shunt-wound motor brings you unbelievable climbing power;
- Functional collocation: Rear basket and flip-flop seat;
- US or Trojan batteries imported from USA, Delta-Q charger;
- CE for whole carts;
- Including cigarette socket;
- Accelerator: Adjustable inductive accelerator continuously variable speed system;
- Leaf spring with Hydraulic shock absorbers;
- Can modify the rear basket to be rear seat or rear cargo;
- You can choose 4 wheel hydraulic disk or Rear mechanical drum brake and Regeneration brake collocation;

# SPECIFICATIONS

- Passenger Capacity – 2
- Battery -8V170AH\*6
- Motor-DC48V 4KW
- Controller- Curtis DC400A/48V
- Max. Speed-32km/h
- Max. Travelling range-70-80km
- Minimum turning radius\*- 4m
- Gross Weight – 520Kg
- Steering – Rack & Pinion" Steering
- Ground clearance-150mm

## GCH 2

- Special-duty utility cars
- Import main parts
- Cargo box



Golfy Car



# GCH 4

- **Special duties utility cars**
- **Hinged windshield**
- **Cargo box – optional\***

## FEATURES

- Import main parts: US Batteries (From USA), Delta-Q chargers (From Canada); Curtis controller (From USA);
- Driving system: Series shunt-wound motor brings you unbelievable climbing power;
- Functional collocation: Rear basket and flip-flop seat;
- US or Trojan batteries imported from USA, Delta-Q charger;
- CE for whole carts;
- Including cigarette socket;
- Accelerator: Adjustable inductive accelerator continuously variable speed system;
- Leaf spring with Hydraulic shock absorbers;
- Can modify the rear basket to be rear seat or rear cargo;
- You can choose 4 wheel hydraulic disk or Rear mechanical drum brake and Regeneration brake collocation.

## SPECIFICATIONS

- Passenger Capacity – 4
- Battery - 8V170AH\*6
- Motor - 48V 5KW
- Controller - Curtis1268A DC400A/48V
- Max. Speed –32km/h
- Max. Travelling range – 60-70km
- Minimum turning radius – 5.5m
- Steering- Rack & Pinion" Steering
- Gross Weight – 610 kg
- Ground clearance – 170 mm



## FEATURES

- Steering Double-ended rack and pinion.
- Front suspension independent A-arm coil over shock.
- 170mm higher ground clearance.
- Delta-Q on board charger
- Optional 8\*6V battery for longer travelling distance.
- Contoured, Ergonomic seats.
- Turnover alloy cargo box.
- Innovative design.

## GCH 4+2 V8

- AT22\*10-10 Tires
- Hinged windshield
- Cargo box – optional\*



## SPECIFICATIONS

- Passenger Capacity – 6
- Battery - Trojan T-875 8V 170AH@ 20h x 6pcs
- Motor-48V5KW
- Controller-Curtis1266A DC350A/48V
- Max. Speed-38-40km/h
- Max. Travelling range-40-45km
- Minimum turning radius\*-10m
- Steering – 12inch carbon fiber steering wheel \* optional
- Ground clearance-170mm
- Medical first aid kit at rear
- Wireless microphone \*optional
- LED side view mirror \*optional




## WHEEL OPTIONS:


**Golfy Car**



- 8 inch steel rims with rims cover as standard



- 10 inch aluminum rim as optional



- 12 inch aluminum rim as optional

## COLOR OPTIONS:



### Popular Color

-  Navy Blue
-  Ferrari Red
-  Champagne
-  White

### Metallic Color

-  Metallic Black
-  Metallic Blue
-  Metallic Red
-  Metallic Irish Blue

## OPTIONAL PARTS:

1. Side And view mirror
2. Seat Belts
3. Weather Enclosure
4. Sunshade curtain
5. 10 and 12 inch rim aluminum rim
6. Speedo (Multifunction: display temperature, speed, driving distance, battery capacity and time)
7. Battery: GEL Battery, Trojan battery
8. Rear seat kit or rear flip seat kit
9. AC Motor system
10. Wireless microphone/wired microphone

## WINDSHIELD OPTIONS:



- Split type foldable front windshield as standard.



- DOT laminated glass front windshield as optional and comes with wiper
- Wiper has option to add water spray system.

## DRIVING TIPS:

- Always drive responsibly; arms and legs should always be in the vehicle and, if your cart is equipped with them, seat belts should always be fastened.
- Only carry passengers that you have seats for. Do not try to squeeze in extra passengers.
- Never drive recklessly or joy ride. Be courteous to other drivers and obey vehicle traffic laws and rules of the road.
- Never drive in toxic or under influence of any drug or narcotic.
- Never allow anyone to stand in the vehicle or on the platform located in the back of the vehicle and never put the vehicle in motion until all passengers are safely inside the vehicle and buckled in.
- Always use hand signal to indicate upcoming turn as well as your turn signals. Turn signals may be small or unnoticed by vehicles behind you so it's always a good idea to use hand signals as well.
- Use caution while turning and look behind your golf cart before backing up.
- Avoid excessive speeds, sudden starts and stops, and avoid sharp turns at fast speeds.
- Reduce speed depending on the driving conditions and driving environment. Reduce speed on hills and inclines or declines, blind curves and yield to pedestrians.
- Use extreme caution in inclement weather. Golf carts may be prone to lightning strikes. Avoid driving in inclement weather if you can.



## CONTACT US:

### GOLFY CAR

Powered by

**Al Suroor United Group**

Exclusive Dealer in the Middle East  
Building No. 8356

Prince Naif Street cross 26th Street,  
North Khobar, Al Khobar 34426-3005  
Kingdom of Saudi Arabia

Tel. No.: +966 13 8655596

Fax No.: +966 13 8655584

Email Add: [go@alsuroor.com](mailto:go@alsuroor.com)  
[gob@alsuroor.com](mailto:gob@alsuroor.com)



### Social Media Sites

- Facebook: <https://www.facebook.com/Golfy-Car-360756564749963/>
- Twitter: <https://twitter.com/GolfyCar>
- Instagram: <https://www.instagram.com/golfycar/>
- LinkedIn: <https://www.linkedin.com/in/golfy-car-29284916a/>
- Google+ : <https://plus.google.com/u/0/111329897957123640855>